



INDEX SHOWING SOURCES OF GEOLOGIC DATA

- Case, J. E., 1966, Geophysical anomalies over Precambrian rocks, northwestern Uncompahgre Plateau, Utah and Colorado: Am. Assoc. Petroleum Geologists Bull., v. 50, no. 7, p. 1423-1443.
 - Cashion, W. B., 1967, Geology and fuel resources of the Green River Formation, southeastern Uinta Basin, Utah and Colorado: U.S. Geol. Survey Prof. Paper 548, pl. 1.
 - Cashion, W. B., 1969, Geologic map of the Black Cabin Gulch quadrangle, Rio Blanco County, Colorado: U.S. Geol. Survey Geol. Quad. Map GQ-812.
 - Cashion, W. B., U.S. Geol. Survey unpub. reconnaissance map.
 - Dane, C. H., 1935, Geology of the Salt Valley anticline and adjacent areas, Grand County, Utah: U.S. Geol. Survey Bull. 863, pl. 1, scale 1:62,500 [1936].
 - Donnell, J. R., 1961, Tertiary geology and oil-shale resources of the Piceance Creek basin between the Colorado and White Rivers, northwestern Colorado: U.S. Geol. Survey Bull. 1082-L, pl. 48.
 - Donnell, J. R., U.S. Geol. Survey unpub. map.
 - Donnell, J. R., U.S. Geol. Survey unpub. reconnaissance map.
 - Donnell, J. R., and Yeend, W. E., 1968, Geologic map of the Grand Valley quadrangle, Garfield County, Colorado: U.S. Geol. Survey open-file map.
 - Donnell, J. R., and Yeend, W. E., 1968, Geologic map of the Housetop Mountain quadrangle, Garfield and Mesa Counties, Colorado: U.S. Geol. Survey open-file map.
 - Erdmann, C. E., 1934, The Book Cliffs coal field in Garfield and Mesa Counties, Colorado: U.S. Geol. Survey Bull. 851, pl. 1 [1935].
 - Fisher, D. J., 1936, The Book Cliffs coal field in Emery and Grand Counties, Utah: U.S. Geol. Survey Bull. 852, fig. 1.
 - Lohman, S. W., 1965, Geology and artesian water supply of the Grand Junction area, Colorado: U.S. Geol. Survey Prof. Paper 451, pl. 1.
 - O'Sullivan, R. B., U.S. Geol. Survey unpub. map.
 - Roehler, Henry W., U.S. Geol. Survey unpub. map.
 - Yeend, W. E., 1969, Quaternary geology of the Grand and Battlement Mesas area, Colorado: U.S. Geol. Survey Prof. Paper 617, pl. 1.



INDEX SHOWING



INDEX MAP SHOWING AREA OF GRAND JUNCTION

Uranium ore deposit
Limits cannot be plotted at map scale; production totals less than 20,000 pounds U₃O₈/20,000 pounds U₃O₈ = 10 short tons U₃O₈ = 8.43 short tons U)

Uranium prospect

Rocks contain 0.01 percent or more U₃O₈ or a uranium mineral, but no ore is known to have been produced; queried where prospect is approximately located

NOTE.—Host rocks for uranium deposits are the following stratigraphic units:

Tu, Uinta Formation
Tgr, Green River Formation
Tw, Wasatch Formation

IW, Wasatch Formation
Location and classification of uranium deposits and prospects furnished by
U.S. Atomic Energy Commission.

²Spooner, E. M., 1946, Late Mesozoic and early Cenozoic history of central Utah: U. S. Geol. Survey

